

361 HOSPITAL RD., #329 · NEWPORT BEACH, CA 92663 · 949.650.8882 / 949.650.2293 FAX  
416 N. BEDFORD DR., #200 · BEVERLY HILLS, CA 90210 · 310.467.2180 / 949.650.2293 FAX  
WWW.DRBATNIJI.COM · @RAMIKBATNIJI · INFO@DRBATNIJI.COM

*Your recovery is just as important as your surgery.*

## WOUND CARE INSTRUCTIONS

### *Shave Excision*

A shave excision creates a shallow, open wound that heals from the bottom up (no stitches). Keeping the wound clean, moist, and covered until it closes — typically 1–3 weeks — leads to faster healing and a better cosmetic result. Following these instructions closely will help you heal comfortably. Please read the entire document and keep it handy throughout your recovery. Call our office at **949.650.8882** (Newport Beach) or **310.467.2180** (Beverly Hills) with any questions or concerns.

### Supplies You Will Need for Wound Care

---

- A fresh bottle of hypochlorous acid to ensure its potency. We recommend Magic Molecule or SkinSmart Wound Therapy.
- Vaseline Original Petroleum Jelly (plain only — no cocoa butter, aloe, or scented versions).
- Cotton-tipped applicators.
- A gentle facial cleanser such as Vanicream Gentle Facial Cleanser.

### Wound Care

---

- **For the first week after your procedure:** Wash your face with a gentle facial cleanser such as Vanicream Gentle Facial Cleanser.
- Spray the area with hypochlorous acid, let it dry for 60 seconds, then apply Vaseline to the shave excision site with a cotton-tipped applicator. Cover the wound with a bandage (e.g., a Band-Aid) to protect the shave excision site from sun exposure.
- Spray with hypochlorous acid and apply Vaseline 3–4 times a day.

### Activity

---

- Shower after 24 hours; avoid direct spray to the wound.
- Avoid pools, hot tubs, and the ocean for 4 weeks.
- Avoid strenuous activity for 2–3 days.

## Medications

---

- Tylenol (Acetaminophen) for discomfort as directed.
- **Avoid aspirin, ibuprofen, naproxen, fish oil, vitamin E, and alcohol for 72 hours** — these can prolong oozing.

## Nicotine

---

- **Avoid all nicotine** (cigarettes, vaping, patches, gum) for 2 weeks before the procedure and do not resume nicotine until 2 weeks after your procedure. Nicotine slows healing and worsens the final scar.

## Sun Protection

---

- Keep the wound covered and protected from the sun for the first 2 weeks. Do not apply sunscreen for the first 2 weeks.
- **After 2 weeks**, apply a broad spectrum SPF 30+ sunscreen daily for 6–12 months to prevent a darkened scar.

## Scar Care (1 month and Beyond)

---

- **Silicone gel:** Begin 1 month post procedure. Apply daily for 8–12 weeks.
- **Scar massage:** Begin at 1 month after your procedure. Gentle circular pressure for 2–3 minutes, 2–3 times daily.
- **Daily SPF:** Continue broad spectrum sunscreen SPF 30+ for 6–12 months (see above).
- **In-office treatments:** Ask about laser, steroid injection, or other refinement options if the scar becomes raised, red, or thickened.

## Questions or Concerns?

---

Please do not hesitate to contact our office at **949.650.8882** (Newport Beach) or **310.467.2180** (Beverly Hills) during business hours. For life-threatening symptoms, always call 911 or go to the nearest emergency room first.

*Healing is a gradual process. We are here to guide you every step of the way.*